



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/092,300	03/07/2002	Ho-Jin Kweon	1567.1027	2618

49455 7590 01/25/2006

STEIN, MCEWEN & BUI, LLP
1400 EYE STREET, NW
SUITE 300
WASHINGTON, DC 20005

EXAMINER

ALEJANDRO, RAYMOND

ART UNIT	PAPER NUMBER
----------	--------------

1745

DATE MAILED: 01/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/092,300

Applicant(s)

KWEON ET AL.

Examiner

Raymond Alejandro

Art Unit

1745

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 December 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,5,10,11,13,15-23, 32, 34-35, 38 and 39 is/are pending in the application.
- 4a) Of the above claim(s) 15-23,32,34 and 35 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,5,10,11,13,38 and 39 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 March 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Response to Amendment

This written communication is being provided in reply to the amendment received on 12/12/05. The applicants have overcome all the 35 USC 102 rejections as the effective filing date of the references applied under the 102(e) statutory basis has been fully and properly antedated by applicant's earlier foreign priority application. Refer to the foregoing amendment for additional information on applicant's rebuttal arguments. However, the present claims are finally rejected as all the double patenting rejections and the 35 USC 103 rejection still stand for the reasons of record.

Election/Restrictions

1. This application contains claims 15-23, 32 and 34-35 drawn to an invention nonelected with traverse in Paper No. 12/05/03. A complete reply to this final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Double Patenting

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686

Art Unit: 1745

F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claims 1-2, 5, 10-11 and 13 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3, 11 and 15 of U.S. Patent No. 6797435 in view of Amatucci et al 5705291. Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following reasons:

The '435 patent claims the following (CLAIMS 1-3, 11 and 15):

Art Unit: 1745

1. A positive active material for a rechargeable lithium battery comprising:

a core comprising a lithiated compound; and

15 at least two surface-treatment layers formed on said core, each of said surface-treatment layers comprising at least one compound selected from the group consisting of a coating-element-included hydroxide, a coating-element-included oxyhydroxide, a coating-element-included oxycarbonate, and a coating-element-included hydroxycarbonate,

wherein the coating element is selected from the group consisting of Al, Si, Ti, Sn, V, Ge, Ga, B, and As.

25 2. The positive active material according to claim 1, wherein:

the lithiated compound is selected from the group consisting of compounds represented by the formulas 1 to 13:

30

	$\text{Li}_x\text{Mn}_{1-y}\text{M}_y\text{A}_z$	(1)
	$\text{Li}_x\text{Mn}_{1-y}\text{M}_y\text{O}_{2-z}\text{X}_z$	(2)
	$\text{Li}_x\text{Mn}_2\text{O}_{4-z}\text{X}_z$	(3)
35	$\text{Li}_x\text{Mn}_{2-y}\text{M}_y\text{A}_z$	(4)
	$\text{Li}_x\text{Co}_{1-y}\text{M}_y\text{A}_z$	(5)
	$\text{Li}_x\text{Co}_{1-y}\text{M}_y\text{O}_{2-z}\text{X}_z$	(6)
	$\text{Li}_x\text{Ni}_{1-y}\text{M}_y\text{A}_z$	(7)
	$\text{Li}_x\text{Ni}_{1-y}\text{M}_y\text{O}_{2-z}\text{X}_z$	(8)
	$\text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_{2-z}\text{X}_z$	(9)
40	$\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}_z\text{A}_z$	(10)
	$\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}_z\text{O}_{2-\alpha}\text{X}_\alpha$	(11)
	$\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}_z\text{A}_\alpha$	(12)
	$\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}_z\text{O}_{2-\alpha}\text{X}_\alpha$	(13),

45 $0.95 \leq x \leq 1.1$, $0 \leq y \leq 0.5$, $0 \leq z \leq 0.5$, $0 \leq \alpha \leq 2$,

M is one selected from the group consisting of Al, Ni, Co, Mn, Cr, Fe, Mg, Sr, V, or rare earth elements,

A is selected from the group consisting of O, F, S and P, and

50

X is selected from the group consisting of F, S and P.

3. The positive active material according to claim 1, wherein said at least two surface-treatment layers comprise at least two coating elements selected from the group consisting of Al, Si, Ti, Sn, V, Ge, Ga, B, and As.

55

11. A positive active material for a rechargeable lithium battery comprising:

a core comprising a lithiated compound;

a first surface-treatment layer formed on said core, said first surface-treatment layer comprising at least one compound selected from the group consisting of an Al-included hydroxide, an Al-included oxyhydroxide, an Al-included oxycarbonate, and an Al-included hydroxycarbonate; and

65

a second surface-treatment layer formed on said first surface-treatment layer, said second surface-treatment

14

layer comprising at least one compound selected from the group consisting of an Si-included hydroxide, an Si-included oxyhydroxide, an Si-included oxycarbonate, and an Si-included hydroxycarbonate.

Art Unit: 1745

15. A positive active material for a rechargeable lithium
30 battery, comprising:
a core comprising a lithium-cobalt based compound;
a first surface-treatment layer formed on said core, said
first surface-treatment layer comprising at least one
35 compound selected from the group consisting of an
Si-included hydroxide, an Si-included oxyhydroxide,
an Si-included oxycarbonate, and an Si-included
hydroxycarbonate; and
a second surface-treatment layer formed on said first
40 surface-treatment layer, said second surface-treatment
layer comprising at least one compound selected from
the group consisting of an Al-included hydroxide, an
Al-included oxyhydroxide, an Al-included
oxycarbonate, and an Al-included hydroxycarbonate.

In this case, the application claims are broader or more generic than the patent claims, thus, the application claims are anticipated by the patent claims. Accordingly, a broad limitation/range is anticipated by a narrow limitation/range which lies within the broad limitation. *In re Goodman*.

The '435 patent claims a positive active material as described above. However, the '435 patent does not expressly claim the specific weight percent of the additive compound.

Amatucci et al disclose a positive electrode comprising a lithiated composition particulate comprising the positive electrode which have been coated with a passivating layer of a composition comprising an additive compound including a hydroxide (CLAIMS 1 and 6/ COL 2, lines 5-25). *It is noted that such coating compositions represent additive compounds, that is, compounds added to, included to or incorporated into the positive active material.* It is disclosed that such additive compound can be added in an amount ranging from 0.4 to 1.0 % by weight (EXAMPLES 1-3). In particular, **EXAMPLE 3** shows the addition of 0.4 % of the borate powder (EXAMPLE 3) (*← emphasis added*).

Art Unit: 1745

In spite of these disclosures, it would have been obvious to one skilled in the art at the time the invention was made to use the specific weight percent of the additive compound of Amatucci et al in the positive active material of the '435 patent as the Amatucci et al disclose that positive active materials having such additive weight percent exhibit improved cycle capacity and electrochemical performance. *Furthermore, Amatucci et al directly teach the use of additive compound within the claimed range; and with sufficient specificity.*

4. Claims 1-2, 5, 10-11 and 13 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 and 12-17 of U.S. Patent No. 6753111. Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following reasons:

The '111 patent claims the following (CLAIMS 1-5 and 12-17):

1. A positive active material for a rechargeable lithium battery comprising:

- a core comprising a lithiated compound, the lithiated compound comprising a secondary particle having an average size larger than or equal to 1 μm and smaller than 10 μm in diameter, the secondary particle being formed of an agglomeration of small primary particles of an average size of 1 to 3 μm in diameter; and
- a surface-treatment layer on the core, the surface-treatment layer comprising a coating-element-included oxide or a coating-element-included hydroxide, oxyhydroxide, oxycarbonate, hydroxycarbonate or a mixture thereof.

Art Unit: 1745

2. The positive active material according to claim 1,¹⁵
wherein the lithiated compound is at least one compound
selected from the group consisting of compounds repre-
sented by the formulas 1 to 11:

- | | | |
|---|------|----|
| $\text{Li}_x\text{Mn}_{1-y}\text{M}'_y\text{A}_z$ | (1) | 20 |
| $\text{Li}_x\text{Mn}_{1-y}\text{M}'_y\text{O}_{2-z}\text{X}_z$ | (2) | |
| $\text{Li}_x\text{Mn}_2\text{O}_4\text{A}_z$ | (3) | |
| $\text{Li}_x\text{Mn}_2\text{M}'_y\text{A}_z$ | (4) | 25 |
| $\text{Li}_x\text{M}_{1-y}\text{M}''_y\text{A}_z$ | (5) | |
| $\text{Li}_x\text{MO}_2\text{A}_z$ | (6) | |
| $\text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_{2-z}\text{A}_z$ | (7) | 30 |
| $\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}''_z\text{A}_\alpha$ | (8) | |
| $\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}''_z\text{O}_{2-\alpha}\text{X}_\alpha$ | (9) | |
| $\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}'_z\text{A}_\alpha$ | (10) | 35 |
| $\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}'_z\text{O}_{2-\alpha}\text{X}_\alpha$ | (11) | |

wherein:

$$0.95 \leq x \leq 1.1, 0 \leq y \leq 0.5, 0 \leq z \leq 0.5, 0 \leq \alpha \leq 2, \quad 40$$

M is Ni or Co,

M' is at least one element selected from the group
consisting of Al, Ni, Co, Cr, Fe, Mg, Sr, V, Sc, Y, La,
Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb,
Lu, Ac, Th, and Pa, 45

M'' is at least one element selected from the group
consisting of Al, Cr, Mn, Fe, Mg, Sr, V, Sc, Y, La, Ce,
Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu,
Ac, Th, and Pa, 50

A is selected from the group consisting of O, F, S and P,
and

X is selected from the group consisting of F, S and P.

3. The positive active material according to claim 1,
wherein the coating element is selected from the group 55
consisting of Mg, Al, Co, K, Na, Ca, Si, Ti, V, Ge, Ga, B, As,
and Zr.

4. The positive active material according to claim 1,
wherein the content of the coating element of the surface-
treatment layer is 2×10^{-5} to 1 wt % based on the weight of 60
positive active material.

5. The positive active material according to claim 4,
wherein the content of the coating element of the surface-
treatment layer is 0.001 to 1 wt % based on the weight of the 65
positive active material.

In this case, the application claims are broader or more generic than the patent claims,
thus, the application claims are anticipated by the patent claims. Accordingly, a broad
limitation/range is anticipated by a narrow limitation/range which lies within the broad
limitation. *In re Goodman*. It is also noted that the specific weight percent of the additive

Art Unit: 1745

compound is an obvious variation of the claimed invention in the '111 patent claims as claims 4-5 thereof specifically claims the particular weight percent.

5. Claims 1-2, 5, 10-11 and 13 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-15, 28-30, 32-35 of copending Application No. 10/189384 (*US Patent Application Publication 2003/0054250*). Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following reasons:

The copending application '384 claims the following (claims 1-15, 28-30, 32-35):

1. An active material for a battery, comprising:

a material that undergoes reversible electrochemical oxidation-reduction reactions and having a surface;

a surface treatment layer on the surface and comprising a conductive agent and at least one coating-element-containing compound selected from the group consisting of a coating-element-containing hydroxide, a coating-element-containing oxyhydroxide, a coating-element-containing oxycarbonate, a coating-element-containing hydroxycarbonate, and a mixture thereof.

2. The active material of claim 1, wherein said material is selected from the group consisting of a metal, a lithium-containing alloy, a compound that reversibly forms a lithium-containing compound by a reaction with lithium ions, a material that reversibly intercalates/deintercalates lithium ions and a lithiated intercalation compound.

3. The active material of claim 2, wherein said material comprises the lithiated intercalation compound that is selected from the group consisting of a lithium-containing metal oxide, a lithium-containing chalcogenide compound, and a carbon-based material.

4. The active material of claim 2, wherein said material comprises the lithiated intercalation compound that is at least one selected from the group consisting of a lithium compound with the following formulas (1) to (13):

$\text{Li}_x\text{Mn}_{1-y}\text{M}_y\text{A}_z$	(1)
$\text{Li}_x\text{Mn}_{1-y}\text{M}_y\text{O}_{2-x}\text{X}_x$	(2)
$\text{Li}_x\text{Mn}_2\text{O}_{4-2x}\text{X}_x$	(3)
$\text{Li}_x\text{Mn}_{2-y}\text{M}_y\text{A}_z$	(4)
$\text{Li}_x\text{Co}_{1-y}\text{M}_y\text{A}_z$	(5)
$\text{Li}_x\text{Co}_{1-y}\text{M}_y\text{O}_{2-x}\text{X}_x$	(6)
$\text{Li}_x\text{Ni}_{1-y}\text{M}_y\text{A}_z$	(7)
$\text{Li}_x\text{Ni}_{1-y}\text{M}_y\text{O}_{2-x}\text{X}_x$	(8)
$\text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_{2-x}\text{X}_x$	(9)

-continued

$\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}_z\text{A}_\alpha$	(10)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}_z\text{O}_{2-\alpha}\text{X}_\alpha$	(11)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}_z\text{A}_\alpha$	(12)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}_z\text{O}_{2-\alpha}\text{X}_\alpha$	(13)

wherein

$$0.95 \leq x < 1.1; 0 \leq y \leq 0.5; 0 \leq z \leq 0.5; 0 \leq \alpha \leq 2;$$

M is at least one element selected from the group consisting of Al, Ni, Co, Mn, Cr, Fe, Mg, Sr, V, and rare earth elements;

A is at least one element selected from the group consisting of O, F, S, and P; and

X is at least one element selected from the group consisting of F, S, and P.

5. The active material of claim 1, wherein the coating element is soluble in an organic solvent or water.

6. The active material of claim 5, wherein the coating element is at least one selected from the group consisting of an alkali metal, an alkaline earth metal, a group 13 element of the Periodic Table, a group 14 element of the Periodic Table, a group 15 element of the Periodic Table, and a transition metal.

7. The active material of claim 6, wherein the coating element is at least one selected from the group consisting of Mg, Al, Co, K, Na, Ca, Si, Ti, B, As, Zr, Sn, V, Ge, Ga, and a combination thereof.

8. The active material of claim 1, wherein the coating-element-containing compound has either an amorphous or a crystalline phase.

9. The active material of claim 1, wherein a thickness of said surface-treatment layer is 1 to 300 nm.

10. The active material of claim 9, wherein a thickness of said surface-treatment layer is 1 to 100 nm.

11. The active material of claim 1, wherein an amount of the coating element is 2×10^{-5} to 2% by weight of the active material.

12. The active material of claim 11, wherein the amount of the coating element is 0.001 to 2% by weight of the active material.

13. The active material of claim 1, wherein the conductive agent is at least one material selected from the group consisting of a carbon-based conductive agent, a graphite-based conductive agent, a metal-based conductive agent, and a metallic-compound-based conductive agent.

14. The active material of claim 1, wherein an amount of the conductive agent is 0.5 to 10% by weight of the active material.

15. The active material of claim 14, wherein the amount of the conductive agent is 1 to 5% by weight of the active material.

Art Unit: 1745

28. An active material for a battery comprising:

a material that has a surface and that undergoes reversible electrochemical oxidation-reduction reactions; and

a surface treatment layer on the surface, the layer comprising a conductive agent and an Al-containing compound selected from the group consisting of an Al-containing hydroxide, an Al-containing oxyhydroxide, an Al-containing oxycarbonate, an Al-containing hydroxycarbonate, and a mixture thereof.

29. An active material for a battery comprising:

a material that has a surface and that undergoes reversible electrochemical oxidation-reduction reactions; and

a surface treatment layer on the surface, the layer comprising a conductive agent and a B-containing compound selected from the group consisting of a B-containing hydroxide, a B-containing oxyhydroxide, a B-containing oxycarbonate, a B-containing hydroxycarbonate, and a mixture thereof.

30. An active material for a battery, comprising:

a material that has a surface and that undergoes reversible electrochemical oxidation-reduction reactions; and

a surface treatment layer coated on the surface, wherein said coated material is prepared by a method comprising:

adding a conductive agent and a coating-element source to a solvent selected from the group consisting of water, organic solvent, and a mixture thereof to prepare a coating liquid;

adding said material to the coating liquid to coat said material; and

drying the coated material to form the surface-treatment layer comprising the conductive agent and at least one coating-element-containing compound selected from the group consisting of a coating-element-containing hydroxide, a coating-element-containing oxyhydroxide, a coating-element-containing oxycarbonate, a coating-element-containing hydroxycarbonate, and a mixture thereof.

32. An electrode for use in a battery, comprising:

a current collector; and

an active material coated with a layer, the layer comprising a conductive agent and at least one compound selected from the group consisting of a coating-element-containing hydroxide, a coating-element-containing oxyhydroxide, a coating-element-containing oxycarbonate, a coating-element-containing hydroxycarbonate, and a mixture thereof,

wherein said active material is coated on said current collector.

33. A battery comprising:

a first electrode comprising a current collector and a coated active material, the coated active material comprising a layer including a conductive agent and at least one compound selected from the group consisting of a coating-element-containing hydroxide, a coating-element-containing oxyhydroxide, a coating-element-containing oxycarbonate, a coating-element-containing hydroxycarbonate, and a mixture thereof;

an electrolyte; and

a counter electrode spaced apart from said first electrode to perform reversible oxidation-reduction reactions with said first electrode through said electrolyte.

34. The active material of claim 1, wherein an average particle size of said material is 1 to 50 μm .**35. The active material of claim 34, wherein the average particle size is 5 to 20 μm .**

In this case, the application claims are broader or more generic than the copending application'384 claims, thus, the application claims are anticipated by the copending application'384claims. Accordingly, a broad limitation/range is anticipated by a narrow limitation/range which lies within the broad limitation. *In re Goodman. It is also noted that the specific weight percent of the additive compound is an obvious variation of the claimed invention in the copending application'384 as claims 11-12 and 14-15 thereof specifically claims the particular weight percent.*

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

6. Claims 1-2, 5, 10-11 and 13 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 and 23-28 of copending Application No. 10/072923 (*US Patent Application Publication 2003/0003352*) in view of Amatucci et al 5705291. Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following reasons:

The copending application'923 claims the following (CLAIMS 1-5 and 23-28):

1. A positive electrode for a rechargeable lithium battery, comprising:

a current collector;

a positive active material layer coated on said current collector, said positive active material layer comprising a positive active material; and

a surface-treatment layer on said positive active material layer, said surface treatment layer comprising a compound selected from the group consisting of a coating-element-included hydroxide, a coating-element-included oxyhydroxide, a coating-element-included oxycarbonate, a coating-element-included hydroxycarbonate, and a mixture thereof.

2. The positive electrode according to claim 1, wherein said positive active material comprises a lithiated compound selected from the group consisting of compounds represented by the formulas 1 to 13:

Art Unit: 1745

$\text{Li}_x\text{Mn}_{1-y}\text{M}_y\text{A}_z$	(1)
$\text{Li}_x\text{Mn}_{1-y}\text{M}_y\text{O}_{2-z}\text{X}_z$	(2)
$\text{Li}_x\text{Mn}_2\text{O}_4\text{X}_z$	(3)
$\text{Li}_x\text{Mn}_{2-y}\text{M}_y\text{A}_z$	(4)
$\text{Li}_x\text{Co}_{1-y}\text{M}_y\text{A}_z$	(5)
$\text{Li}_x\text{Co}_{1-y}\text{M}_y\text{O}_{2-z}\text{X}_z$	(6)
$\text{Li}_x\text{Ni}_{1-y}\text{M}_y\text{A}_z$	(7)
$\text{Li}_x\text{Ni}_{1-y}\text{M}_y\text{O}_{2-z}\text{X}_z$	(8)
$\text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_{2-z}\text{X}_z$	(9)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}_z\text{A}_z$	(10)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}_z\text{O}_{2-z}\text{X}_z$	(11)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}_z\text{A}_z$	(12)
$\text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}_z\text{O}_{2-z}\text{X}_z$	(13)

wherein:

$$0.95 \leq x \leq 1.1; 0 \leq y \leq 0.5; 0 \leq z \leq 0.5; 0 \leq \alpha \leq 2,$$

M is one element selected from the group consisting of Al, Ni, Co, Mn, Cr, Fe, Mg, Sr, V, and rare earth elements,

A is selected from the group consisting of O, F, S, and P, and

X is selected from the group consisting of F, S, and P.

3. The positive electrode according to claim 1, wherein said surface-treatment layer comprises a coating-element selected from the group consisting of Mg, Al, Co, k, Na, Ca, Si, Ti, Sn, V, Ge, Ga, B, As, and Zr.

4. The positive electrode according to claim 1, wherein said surface-treatment layer is formed by coating the positive active material layer with a coating liquid.

5. The positive electrode according to claim 4, wherein the coating process includes one of a dipping method and a vacuum impregnation method.

23. A positive electrode for a rechargeable lithium battery, comprising:

a current collector;

a positive active material layer coated on said current collector, said positive active material layer comprising a positive active material selected from the group consisting of lithium-cobalt chalcogenide, lithium-manganese chalcogenide, lithium-nickel chalcogenide and lithium-nickel-manganese chalcogenide; and

a surface-treatment layer on said positive active material layer, said surface treatment layer comprising a com-

pound selected from the group consisting of a coating-element-included hydroxide, a coating-element-included oxyhydroxide, a coating-element-included oxycarbonate, a coating-element-included hydroxycarbonate, and a mixture thereof,

wherein the coating-element is one of Al and B.

24. A positive electrode for a rechargeable lithium battery, comprising:

a current collector;

a positive active material layer coated on said current collector, said positive active material layer comprising a LiCoO_2 positive active material; and

a surface-treatment layer disposed on said positive active material layer, said surface treatment layer comprising a compound selected from the group consisting of a coating-element-included hydroxide, a coating-element-included oxyhydroxide, a coating-element-included oxycarbonate, a coating-element-included hydroxycarbonate, and a mixture thereof,

wherein the coating-element is one of Al and B.

Art Unit: 1745

25. A lithium battery comprising:

a first electrode comprising a layer of a lithiated compound coated with a surface treatment layer, the surface treatment layer comprising one of a coating-element-included hydroxide, a coating-element-included oxyhydroxide, a coating-element-included oxycarbonate, a coating-element-included hydroxycarbonate, and a mixture thereof;

a second electrode comprising a material to reversibly intercalate lithium ions; and

a separator and an electrolyte disposed between said first and second electrodes.

26. The lithium battery of claim 25, wherein the coating element comprises one of Mg, Al, Co, K, Na, Ca, Si, Ti, V, Sn, Ge, B, As, and Zr.

27. The lithium battery of claim 25, wherein the surface treatment layer has a thickness of at or between 1 and 100 nm.

28. The lithium battery of claim 25, wherein said first electrode is prepared in accordance with a method comprising:

treating a current collector, which is coated with a layer of a positive active material, with a coating liquid, the coating liquid comprising one of a coating element and a coating-element-included compound; and

drying the treated current collector to form the surface treatment layer comprising one of the coating-element-included hydroxide, the coating-element-included oxyhydroxide, the coating-element-included oxycarbonate, the coating-element-included hydroxycarbonate, and a mixture thereof.

In this case, the application claims are broader or more generic than the copending application'923 claims, thus, the application claims are anticipated by the copending application'923 claims. Accordingly, a broad limitation/range is anticipated by a narrow limitation/range which lies within the broad limitation. *In re Goodman*.

The copending application'923 claims a positive active material as described above. However, the copending application'923 does not expressly claim the specific weight percent of the additive compound.

Amatucci et al disclose a positive electrode comprising a lithiated composition particulate comprising the positive electrode which have been coated with a passivating layer of a composition comprising an additive compound including a hydroxide (CLAIMS 1 and 6/ COL 2, lines 5-25). *It is noted that such coating compositions represent additive compounds, that is,*

compounds added to, included to or incorporated into the positive active material. It is disclosed that such additive compound can be added in an amount ranging from 0.4 to 1.0 % by weight (EXAMPLES 1-3). In particular, **EXAMPLE 3** shows the addition of 0.4 % of the borate powder (EXAMPLE 3) (*← emphasis added*).

In spite of these disclosures, it would have been obvious to one skilled in the art at the time the invention was made to use the specific weight percent of the additive compound of Amatucci et al in the positive active material of the copending application'923 as the Amatucci et al disclose that positive active materials having such additive weight percent exhibit improved cycle capacity and electrochemical performance. *Furthermore, Amatucci et al directly teach the use of additive compound within the claimed range; and with sufficient specificity.*

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

7. Claims 1-2, 5, 10-11 and 13 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 and 25-37 of copending Application No. 09/897445 (*US Patent Application Publication 2002/0071990*). Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following reasons:

The copending application'445 claims the following (CLAIMS 1-10 and 25-37):

1. A positive active material for a rechargeable lithium battery comprising
 - a core comprising at least one lithiated compound; and
 - a surface-treatment layer on the core comprising at least one coating material selected from the group consisting of coating element included hydroxides, oxyhydroxides, oxycarbonates, hydroxycarbonates and a mixture thereof.
2. The positive active material of claim 1 wherein the lithiated compound is at least one lithiated compound represented by the formulas 1 to

Art Unit: 1745

- $$\begin{aligned} \text{Li}_x\text{Mn}_{1-y}\text{M}'_y\text{A}_z & (1) \\ \text{Li}_x\text{Mn}_{1-y}\text{M}'_y\text{O}_{2-z}\text{A}_z & (2) \\ \text{Li}_x\text{Mn}_2\text{O}_{4-z}\text{A}_z & (3) \\ \text{Li}_x\text{Mn}_{2-y}\text{M}'_y\text{A}_z & (4) \\ \text{Li}_x\text{M}_{1-y}\text{M}'_y\text{A}_2 & (5) \\ \text{Li}_x\text{MO}_{2-z}\text{A}_z & (6) \\ \text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_{2-z}\text{A}_z & (7) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}'_z\text{A}_\alpha & (8) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}'_z\text{A}_\alpha & (9) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}'_z\text{O}_{2-\alpha} & (10) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}'_z\text{O}_{2-\alpha}\text{X}_\alpha & (11) \end{aligned}$$

where

$$0.95 \leq x \leq 1.1, 0 \leq y \leq 0.5, 0 \leq z \leq 0.5, 0 \leq \alpha \leq 2,$$

M is Ni or Co,

M' is at least one element selected from the group consisting of Al, Ni, Co, Cr, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

M' is at least one element selected from the group consisting of Al, Cr, Mn, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

A is selected from the group consisting of O, F, S and P, and

X is selected from the group consisting of F, S and P.

3. The positive active material of claim 1 wherein the coating element of the coating material is soluble in organic solvents or water.

4. The positive active material of claim 3 wherein the coating element of the coating material is at least one element selected from the group consisting of Mg, Al, Co, K, Na, Ca, Si, Ti, Sn, V, Ge, Ga, B, As, Zr, and a mixture thereof.

5. The positive active material of claim 1 wherein the coating material has amorphous or crystalline form.

6. The positive active material of claim 1 wherein the surface-treatment layer has a thickness in the range of 0.1 to 300nm.

7. The positive active material of claim 6 wherein the surface-treatment layer has a thickness in the range of 0.1 to 100nm.

8. The positive active material of claim 7 wherein the surface-treatment layer has a thickness in the range of 0.1 to 50nm.

9. The positive active material of claim 1 wherein the content of the coating element of the coating material is 2×10^{-1} to 2 percent by weight based on the weight of the positive active material.

10. The positive active material of claim 9 wherein the content of the coating element of the coating material is 0.001 to 2 percent by weight based on the weight of the positive active material.

25. A positive active material for a rechargeable lithium battery comprising

a core comprising at least one lithiated compound; and

a surface-treatment layer on the core comprising coating element- included-hydroxide or oxyhydroxide.

26. The positive active material of claim 25 wherein the lithiated compound is at least one lithiated compound represented by formulas 1 to 11,

Art Unit: 1745

- $$\begin{aligned} \text{Li}_x\text{Mn}_{1-y}\text{M}'_y\text{A}_2 & (1) \\ \text{Li}_x\text{Mn}_{1-y}\text{M}'_y\text{A}_{2-z}\text{A}_z & (2) \\ \text{Li}_x\text{Mn}_2\text{O}_{4-z}\text{A}_z & (3) \\ \text{Li}_x\text{Mn}_2\text{M}'_y\text{A}_4 & (4) \\ \text{Li}_x\text{M}_{1-y}\text{M}'_y\text{A}_2 & (5) \\ \text{Li}_x\text{MO}_{2-z}\text{A}_z & (6) \\ \text{Li}_x\text{Ni}_{1-y}\text{Co}_y\text{O}_{2-z}\text{A}_z & (7) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}'_z\text{A}_\alpha & (8) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}'_z\text{A}_\alpha & (9) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Co}_y\text{M}'_z\text{O}_{2-\alpha}\text{X}_\alpha & (10) \\ \text{Li}_x\text{Ni}_{1-y-z}\text{Mn}_y\text{M}'_z\text{O}_{2-\alpha}\text{X}_\alpha & (11) \end{aligned}$$

where

$$0.95 \leq x \leq 1.1, 0 \leq y \leq 0.5, 0 \leq z \leq 0.5, 0 \leq \alpha \leq 2,$$

M is Ni or Co,

M' is at least one element selected from the group consisting of Al, Ni, Co, Cr, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr, M" is at least one element selected from the group consisting of Al, Cr, Mn, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

A is selected from the group consisting of O, F, S and P, and

X is selected from the group consisting of F, S and P.

27. The positive active material of claim 25 wherein the coating element of the surface treatment layer is soluble in organic solvents or water.

28. The positive active material of claim 25 wherein the coating element of the surface treatment layer is at least one element selected from the group consisting of Mg, Al, Co, K, Na, Ca, Si, Ti, Sn, V, Ge, Ga, B, As, Zr, and a mixture thereof.

29. The positive active material of claim 25 wherein the coating material has amorphous or crystalline form.

30. The positive active material of claim 25 wherein the content of the coating element of the surface-treatment layer is 2×10^{-5} to 2 percent by weight based on the weight of the positive active material.

31. The positive active material of claim 30 wherein the content of the coating element of the surface-treatment layer is 0.001 to 2 percent by weight based on the weight of the positive active material.

32. A positive active material for a rechargeable lithium battery comprising:

a core comprising a lithium-cobalt chalcogenide compound; and

a surface-treatment layer on the core comprising $\text{Al}(\text{OH})_3$ or $\text{AlO}(\text{OH})$.

33. The positive active material of claim 32 wherein the content of Al of the surface-treatment layer is 2×10^{-5} to 2 percent by weight based on the weight of the positive active material.

Art Unit: 1745

34. The positive active material of claim 33 wherein the content of Al of the surface-treatment layer is 0.001 to 2 percent by weight based on the weight of the positive active material.

35. A positive active material for a rechargeable lithium battery comprising:

a core comprising a lithium-manganese or lithium-cobalt chalcogenide compound; and

a surface-treatment layer on the core comprising HB(OH)_2 .

36. The positive active material of claim 35 wherein the content of B of the surface-treatment layer is 2×10^{-5} to 2 percent by weight based on the weight of the positive active material.

37. The positive active material of claim 36 wherein the content of B of the surface-treatment layer is 0.001 to 2 percent by weight based on the weight of the positive active material.

In this case, the application claims are broader or more generic than the copending application '445 claims, thus, the application claims are anticipated by the copending application '445 claims. Accordingly, a broad limitation/range is anticipated by a narrow limitation/range which lies within the broad limitation. *In re Goodman. It is also noted that the specific weight percent of the additive compound is an obvious variation of the claimed invention in the copending application '445 as claims 9-10, 30-31 and 36-37 thereof specifically claims the particular weight percent.*

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

8. Claims 1-2, 5, 10-11 and 13 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 and 25-37 of copending Application No. 10/627725 (*US Patent Application Publication 2004/0018429*).

Art Unit: 1745



Although the conflicting claims are not identical, they are not patentably distinct from each other because of the following reasons:

The copending application'725 claims the following (CLAIMS 1-10 and 25-37):

1. A positive active material for a rechargeable lithium battery comprising

- a core comprising at least one lithiated compound; and
- a surface-treatment layer on the core comprising at least one coating material selected from the group consisting of coating element included-hydroxides, oxyhydroxides, oxycarbonates, hydroxycarbonates and a mixture thereof.

2. The positive active material of claim 1 wherein the lithiated compound is at least one lithiated compound represented by the formulas 1 to 11,



where

$$0.95 \leq x \leq 1.1, 0 \leq y \leq 0.5, 0 \leq z \leq 0.5, 0 \leq 60 \leq 2,$$

M is Ni or Co,

M' is at least one element selected from the group consisting of Al, Ni, Co, Cr, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

M'' is at least one element selected from the group consisting of Al, Cr, Mn, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

A is selected from the group consisting of O, F, S and P, and

X is selected from the group consisting of F, S and P.

3. The positive active material of claim 1 wherein the coating element of the coating material is soluble in organic solvents or water.

4. The positive active material of claim 3 wherein the coating element of the coating material is at least one element selected from the group consisting of Mg, Al, Co, K, Na, Ca, Si, Ti, Sn, V, Ge, Ga, B, As, Zr, and a mixture thereof.

5. The positive active material of claim 1 wherein the coating material has amorphous or crystalline form.

6. The positive active material of claim 1 wherein the surface-treatment layer has a thickness in the range of 0.1 to 300 nm.

Art Unit: 1745

7. The positive active material of claim 6 wherein the surface-treatment layer has a thickness in the range of 0.1 to 100 nm.

8. The positive active material of claim 7 wherein the surface-treatment layer has a thickness in the range of 0.1 to 50 nm.

9. The positive active material of claim 1 wherein the content of the coating element of the coating material is 2×10^{-3} to 2 percent by weight based on the weight of the positive active material.



10. The positive active material of claim 9 wherein the content of the coating element of the coating material is 0.001 to 2 percent by weight based on the weight of the positive active material.

25. A positive active material for a rechargeable lithium battery comprising

a core comprising at least one lithiated compound; and

a surface-treatment layer on the core comprising coating element-included-hydroxide or oxyhydroxide.

26. The positive active material of claim 25 wherein the lithiated compound is at least one lithiated compound represented by formulas 1 to 11,



where

$$0.95 \leq x \leq 1.1, 0 \leq y \leq 0.5, 0 \leq z \leq 0.5, 0 \leq \alpha \leq 2,$$

M is Ni or Co,

M' is at least one element selected from the group consisting of Al, Ni, Co, Cr, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

M'' is at least one element selected from the group consisting of Al, Cr, Mn, Fe, Mg, Sr, V, Sc, Y, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No and Lr,

A is selected from the group consisting of O, F, S and P, and

X is selected from the group consisting of F, S and P.

Art Unit: 1745

27. The positive active material of claim 25 wherein the coating element of the surface treatment layer is soluble in organic solvents or water.

28. The positive active material of claim 25 wherein the coating element of the surface treatment layer is at least one element selected from the group consisting of Mg, Al, Co, K, Na, Ca, Si, Ti, Sn, V, Ge, Ga, B, As, Zr, and a mixture thereof.

29. The positive active material of claim 25 wherein the coating material has amorphous or crystalline form.

30. The positive active material of claim 25 wherein the content of the coating element of the surface-treatment layer is 2×10^{-5} to 2 percent by weight based on the weight of the positive active material.

31. The positive active material of claim 30 wherein the content of the coating element of the surface-treatment layer is 0.001 to 2 percent by weight based on the weight of the positive active material.

32. A positive active material for a rechargeable lithium battery comprising:

a core comprising a lithium-cobalt chalcogenide compound; and

a surface-treatment layer on the core comprising $\text{Al}(\text{OH})_3$ or $\text{AlO}(\text{OH})$.

33. The positive active material of claim 32 wherein the content of Al of the surface-treatment layer is 2×10^{-5} to 2 percent by weight based on the weight of the positive active material.

34. The positive active material of claim 33 wherein the content of Al of the surface-treatment layer is 0.001 to 2 percent by weight based on the weight of the positive active material.

35. A positive active material for a rechargeable lithium battery comprising:

a core comprising a lithium-manganese or lithium-cobalt chalcogenide compound; and

a surface-treatment layer on the core comprising $\text{HB}(\text{OH})_2$.

36. The positive active material of claim 35 wherein the content of B of the surface-treatment layer is 2×10^{-5} to 2 percent by weight based on the weight of the positive active material.

37. The positive active material of claim 36 wherein the content of B of the surface-treatment layer is 0.001 to 2 percent by weight based on the weight of the positive active material.

In this case, the application claims are broader or more generic than the copending application'725 claims, thus, the application claims are anticipated by the copending application'725 claims. Accordingly, a broad limitation/range is anticipated by a narrow limitation/range which lies within the broad limitation. *In re Goodman*. It is also noted that the specific weight percent of the additive compound is an obvious variation of the claimed invention

Art Unit: 1745

in the copending application '725 as claims 9-10, 30-31 and 36-37 thereof specifically claims the particular weight percent.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

11. Claims 1-2, 5, 10-11 and 13 and 38-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Amatucci et al 5705291 in view of the Japanese publication JP 09-171813 (hereinafter referred to as "*the JP '813 publication*").

The present claims are drawn to a positive active material composition wherein the disclosed inventive concept comprises the specific additive compound.

Art Unit: 1745

In reference to claims 1 and 10:

Amatucci et al disclose a positive electrode comprising a lithiated composition particulate comprising the positive electrode which have been coated with a passivating layer of a composition comprising a borate, lithiated borate, aluminate, lithiated aluminate, silicate, lithiated silicate or mixture thereof (ABSTRACT). It is also disclosed that the lithiated intercalation compound is coated with coating compositions comprising boron oxide, boric acid, lithium hydroxide, aluminum oxide, lithium aluminate, lithium metaborate, silicon dioxide, lithium silicate or mixtures thereof (CLAIMS 1 and 6/ COL 2, lines 5-25). *It is noted that such coating compositions represent additive compounds, that is, compounds added to, included to or incorporated into the positive active material.*

It is disclosed that such additive compound can be added in an amount ranging from 0.4 to 1.0 % by weight (EXAMPLES 1-3). In particular, **EXAMPLE 3** shows the addition of 0.4 % of the borate powder (EXAMPLE 3) (← *emphasis added*).

6. A rechargeable battery cell comprising a negative
25 electrode, a positive electrode, and an intermediate nonaqueous electrolyte characterized in that said positive electrode comprises a particulate lithium intercalation compound the particles of which are coated with a passivating layer comprising an annealed coating composition comprising
30 boron oxide, boric acid, lithium hydroxide, aluminum oxide, lithium aluminate, lithium metaborate, silicon dioxide, lithium silicate, or mixtures thereof.

5 These objects, among others, have been achieved in the present invention by means of a novel lithium intercalation cell in which the surfaces of aggregate lithiated intercalation composition particulates comprising the positive cell electrode have been passivated by coating or encapsulation in a
10 layer of a composition comprising a borate, lithiated borate, aluminate, lithiated aluminate, silicate, or lithiated silicate. Such a coating not only reduces the surface area, and thus the degree of activity, of the potentially catalytic particulate aggregates, but also provides a barrier layer which, while
15 limiting contact between the electrolyte and the positive electrode particulates, does not seriously deter the passage of Li⁺ ions.

In a preferred embodiment of the present invention, the surfaces of these particulates are coated with a layer of a
20 composition comprising boron oxide, boric acid, lithium hydroxide, aluminum oxide, lithium aluminate, lithium metaborate, silicon dioxide, lithium silicate, or mixtures thereof. In another embodiment of the present invention, the

Art Unit: 1745

It is disclosed that the coating composition has either a glassy or crystalline form (COL 4, lines 13-17); in particular, the borate is amorphous (EXAMPLE 1).

In reference to claims 2 and 11:

Amatucci et al teach the use of LiCoO_2 , LiNiO_2 and $\text{Li}_{1+x}\text{Mn}_2\text{O}_4$ (COL 1, line 38-42).

EXAMPLES 1-3 illustrates the specific use of LiMn_2O_4 (EXAMPLES 1-3).

In reference to claim and 10:

Amatucci et al shows with *sufficient specificity* the use of H_3BO_3 and/or B_2O_3 compounds among others. Amatucci et al also disclose the use of composition comprising a borate, lithiated borate, aluminate, lithiated aluminate, silicate, lithiated silicate or mixture thereof (ABSTRACT). It is also disclosed that the lithiated intercalation compound is coated with coating compositions comprising boron oxide, boric acid, lithium hydroxide, aluminum oxide, lithium aluminate, lithium metaborate, silicon dioxide, lithium silicate or mixtures thereof (CLAIMS 1 and 6/ COL 2, lines 5-25).

In this respect, it is noted that EXAMPLE 3 shows the use of B_2O_3 and $\text{LiOH}\cdot\text{H}_2\text{O}$ to obtain a fine lithiated powder (EXAMPLE 3 or COL 5, lines 25-45). *Thus, it is contended that a secondary product of such mixture combination of B_2O_3 and $\text{LiOH}\cdot\text{H}_2\text{O}$ can be a hydroxide of boron.*

In reference to claims 5 and 13:

As to the method limitation, i.e. *the additive compound being prepared by the specific drying and temperature treatment (heat treatment)*, it is noted that a method limitation incorporated into a product claim does not patentable distinguish the product because what is

Art Unit: 1745

given patentably consideration is the product itself and not the manner in which the product was made. Therefore, the patentability of a product is independent of how it was made.

Moreover, Amatucci et al disclose the process of annealing the material at a temperature in the excess of about 400 °C, preferably in the range of about 500-800 °C (COL 2, lines 19-29).

Hence, it is contended that at these temperatures, the drying of liquid necessarily occurs unless the liquid has an evaporation point higher than 800 °C. Nevertheless, the claim language is silent as to the specific chemical composition of the liquid subjected to the drying step.

As to claim 38:

It is disclosed that positive electrode composition is associated with a current collector member all together (COL 2, lines 60-67).

Amatucci et al'291 disclose a coated positive electrode according to the foregoing aspects. However, the preceding prior art fails to expressly disclose the specific thermal absorbent material; the additive compound not including lithium and not coating with the additive compound.

With respect to claims 1, 3, 10 and 36-37:

The JP'813 publication discloses a positive electrode active material including an inorganic material (ABSTRACT). In particular, the JP'813 publication discloses an active material comprising a lithiated compound and aluminum hydroxide (SECTION 0019-0021). *It is noted that aluminum hydroxide is a thermal absorbent element.*

As to claims 2, 11:

The JP'813 publication teaches the use of lithium multiple oxides such as LiCoO_2 , LiNiO_2 , $\text{Li}_x\text{Ni}_{1-x}\text{Co}_y\text{O}_2$ and LiMn_2O_4 (SECTION 0024).

Art Unit: 1745

Concerning claims 38-39:

The JP'813 publication teaches the mixing of the lithiated compound and the aluminum hydroxide upon formation thereof and having deposited the composite material on the electrode support (SECTION 0020) including forming a composite slurry which is applied to a foil (SECTIONS 0035-0038).

In view of the above, it would have been obvious to one skilled in the art at the time the invention was made to use the specific additive compound not including lithium and not coating with the additive compound of the JP'813 publication in the positive active material of Amatucci et al as the JP'813 publication teaches that such additive compound provides a positive active material network structure with improved load and capacity characteristics; and excellent charging/discharging cycle-ability.

Response to Arguments

12. Applicant's arguments filed 08/12/05 have been considered in their entirety but they are still unpersuasive.

13. The main contention of applicant's argument is premised on the assertion that "*the JP'813 discloses using aluminum hydroxide as an additive compound in an amount of 10 weight percent in the production of the positive electrode...and not in an amount at or between 0.1 weight % and 1 weight % based on the weight of the positive active material composition*". In this respect, it is particularly noted that while applicant's statement about the teachings of the JP'813 is correct, applicant has completely overlooked the essence of the rejection. In other words, applicant has conveniently ignored the statutory basis used herein to reject claims 1-2, 5,

Art Unit: 1745

10-11, 13 and 38-39. Applicant is respectfully reminded that the foregoing claims have been rejected under 35 USC 103(a) as being unpatentable over Amatucci et al'291 in view of the JP'813 publication. That being said, applicant is again reminded that 35 USC 103 statute permits, allows or approves the use of multiple (more than one) references to fully address the claimed limitations of an invention. This is exactly what the examiner has done, so far, in order to constructively address all the limitations. Applicant has argued that *"Because there is no teaching or suggestion in JP'813 of using an additive compound in the amount recited in independent claims 1 and 10, it would not have been obvious to one of ordinary skill in the art to combine Amatucci with JP'813"*. However, applicant has been clearly and repeatedly instructed by the examiner that the primary reference (i.e. Amatucci) discloses all the claimed limitations except the specific additive compound, that is to say, only the additive compound is not taught in Amatucci, not its respective weight amount. As just mentioned above, Amatucci discloses the use of additive compounds which can added in an amount ranging from 0.4 to 1.0 % by weight (EXAMPLES 1-3). In particular, **EXAMPLE 3** shows the addition of 0.4 % of an additive powder (EXAMPLE 3) (**← emphasis added**). Stated somewhat differently, the primary reference does fully, completely and fairly address the limitation concerning the specific additive amount but it does not disclose the specific additive compound. And, to remedy such a deficiency the secondary reference (the JP'813) has been introduced or cited because the JP'813 does suggest an active material comprising a lithiated compound and aluminum hydroxide together or collectively. As such, a 35 USC 103 rejection combining these two references was issued. Nothing more, nothing less. Accordingly, the examiner verily believes that his 103 rejection is an

Art Unit: 1745

appropriate and genuine action as a strong prima-facie case of obviousness has been fairly presented to the applicant.

14. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). *In this case, the two references are found to be pertinent to each other as well as to the field of applicant's endeavor because the two references encompass positive electrode material including a lithiated compound and an additional component (additive). Thus, the chemical environment or chemistry of two references' active material is so similar and compatible that one of ordinary skill in the art would necessarily end up looking at both references, singly or collectively, in order to address the limitations of the claimed positive active material. Thus, the very similar and compatible chemical environment or chemistry and field of endeavor of Amatucci et al and the JP '813 would suggest the desirability of their combination.*

15. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the

Art Unit: 1745

applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

The following responses to applicant's arguments have been presented in previous office actions and are herein repeated to further address applicant's arguments and maintained for the reasons of record:

16. The main contention of applicant's arguments is premised on the assertion that the primary reference "*fails to teach or suggest an amorphous additive compound*" (See amendment of 08/12/05 at page 9, 5th full paragraph) because "*Amatucci discloses using a film for coating...wherein the suitable materials for such coating film are either in a crystalline or glassy form, such as borates or aluminates (column 4, lines 9-15)*" (See amendment of 08/12/05 at page 9, 3rd full paragraph). First of all, the examiner likes to point out that applicants have admitted that the prior art of record does use glassy form materials for coating. In this regard, applicants are then respectfully requested to double check and review their assertion, and thus, re-evaluate and reconsider their position because those of ordinary skill in the art know that a glassy material (glass) stands for any of various amorphous materials formed from a melt by cooling to rigidity without crystallization (Refer to *Merriam-Webster's, Collegiate Dictionary, 10th Edition*). Thus, a glassy material does not crystallize, thereby, it does not possess a crystalline structure. Simply put, glassy materials are amorphous materials. Hence, applicant's arguments with respect to the lack of an amorphous additive compound are in error and completely inapposite.

17. Since applicants have overcome the 35 USC 102 rejection, the examiner will only address applicants' arguments concerning the 35 USC 103 rejection. In this regard, the principal

Art Unit: 1745

contention of applicant's arguments is premised on the assertion that the prior art of record fails to reveal the specific amount (weight percent) of additive compound in the positive electrode. However, this assertion is not sufficient to overcome the rejection because the prior art (i.e. Amatucci et al'291 and the JP'813 publication) in combination does disclose the use of additive compound within the claimed range. Indeed, applicants' attention is particularly directed to EXAMPLES 1-3 in the Amatucci et al reference. Those examples clearly show using the specific claimed amount of additive compound in the positive electrode. Applicant is reminded that the test for obviousness is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Therefore, in view of the foregoing teachings, the examiner believes that it is fairly reasonable to contend that those of ordinary skill in the art would have sufficient sophistication to recognize that the specific additive compound of the JP'813 publication may be added by using exactly the same amount/percent as disclosed in Amatucci et al'291. Simply put, given that Amatucci et al'291 evidently teaches the use of an additive compound within the claimed range, the skilled artisan will only need to substitute the JP'813 publication additive in the positive electrode of Amatucci et al'291. Stated somewhat differently, not because Amatucci et al'291 fail to disclose the specific additive compound (the material) per se, it means that the additive compound of the JP'813 publication cannot be added in the same manner and amount as Amatucci et al'291 instruct to add their additive compounds, that is to say, nothing in the Amatucci et al'291 reference precludes the use of other additive compounds, in particular, the additive compounds of the JP'813 publication. *Thus, in the event that applicants eventually*

Art Unit: 1745

argue that the examiner's position is improper, applicant is now advised that showing of objective evidence would be necessary to demonstrate that the use of the additive compound of the JP'813 publication, when used as taught (i.e. in the same amount/proportion) in Amatucci et al'291, would cause detrimental or deleterious damage(s) to the positive active material of Amatucci et al'291. Therefore, the burden would be shifted to the applicants to provide such objective evidence.

18. Applicant's arguments do not comply with 37 CFR 1.111(c) because they do not clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. Further, they do not show how the amendments avoid such references or objections.

Conclusion

19. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Art Unit: 1745

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond Alejandro whose telephone number is (571) 272-1282. The examiner can normally be reached on Monday-Thursday (8:00 am - 6:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Raymond Alejandro
Primary Examiner
Art Unit 1745



RAYMOND ALEJANDRO
PRIMARY EXAMINER